

METAL

APAVISA

addiction **n**
to
design

Index - Índice

Alchemy	55
Cast Iron	61
Corten	25
Glam	41
Lamiere	3
Metal & Nanocorten	77
Paladio	73
PVD	69
Rust	47
Tatto	33
Zinc	13




walls: Lamiere Blue Natural & Lamiere White Natural 120x260
floor: Lamiere White Natural 120x120





floor: Lamiere Blue Natural 100x100
walls: Lamiere White Natural 50x100



detail: Lamiere Blue Natural 100x100



Lamiere

PORCELAIN



Blue

120x260	119,3 x 260 cm - 46.97" x 102.4"	6 mm
Lamiere Blue Natural		G-3381
120x120	119,3 x 119,3 cm - 46.97" x 46.97"	6 mm
Lamiere Blue Natural		G-3381
100x100	99,55 x 99,55 cm - 39.19" x 39.19"	10 mm
Lamiere Blue Natural		G-7268
50x100	49,75 x 99,55 cm - 19.59"x39.19"	10 mm
Lamiere Blue Natural		G-7162
60x60	59,55 x 59,55 cm - 23.62"x23.62"	10 mm
Lamiere Blue Natural		G-7162



White

120x260	119,3 x 260 cm - 46.97" x 102.4"	6 mm
Lamiere White Natural		G-3381
120x120	119,3 x 119,3 cm - 46.97" x 46.97"	6 mm
Lamiere White Natural		G-3381
100x100	99,55 x 99,55 cm - 39.19" x 39.19"	10 mm
Lamiere White Natural		G-7268
50x100	49,75 x 99,55 cm - 19.59"x39.19"	10 mm
Lamiere White Natural		G-7162
60x60	59,55 x 59,55 cm - 23.62"x23.62"	10 mm
Lamiere White Natural		G-7162



Green

100x100	99,55 x 99,55 cm - 39.19" x 39.19"	10 mm
Lamiere Green Natural		G-7268
50x100	49,75 x 99,55 cm - 19.59"x39.19"	10 mm
Lamiere Green Natural		G-7162
60x60	59,55 x 59,55 cm - 23.62"x23.62"	10 mm
Lamiere Green Natural		G-7162

Solid 2 cm



SOLID 2 cm	50x100	49,75x99,55 cm - 19.58"x39.19"	20 mm
	Lamiere Blue Solid 2 cm		G-9234
	Lamiere White Solid 2 cm		G-9234

Mosaics 	SIZE / Formato	Blue Natural	White Natural	Green Natural
	29,75x29,75 cm 11.71"x11.71"	Mosaico 5x5	G-7558	G-7558

Rodapie 	SIZE / Formato	Blue Natural	White Natural	Green Natural
	7,5x100	Rodapie	G-6115	G-6115
	7,5x60	Rodapie	G-6089	G-6089
	7,5x50	Rodapie	G-6071	G-6071

Listas 	SIZE / Formato	Blue Natural	White Natural	Green Natural
	7,5x100	Listas	G-6111	G-6111
	7,5x60	Listas	G-6087	G-6087
	7,5x50	Listas	G-6065	G-6065

Gradone 	SIZE / Formato	Blue Natural	White Natural	Green Natural
	100x100	Gradone	G-6723	G-6723
	50x100	Gradone	G-6655	G-6655
	60x60	Gradone	G-6559	G-6559


Peldaño 	SIZE / Formato	Blue Natural	White Natural	Green Natural
	100x100	Peldaño	G-6541	G-6541
	50x100	Peldaño	G-6337	G-6337
	60x60	Peldaño	G-6197	G-6197

2 Cm Drain 	SIZE / Formato	Blue Solid 2 Cm	White Solid 2 Cm	Green Solid 2 Cm
	25x100	Drain	G-471	G-471
	25x25	Drain Angle	G-187	G-187
	25x100	Drain Diagonal	G-471	G-471

2 Cm Peldaño L 	SIZE / Formato	Blue Solid 2 Cm	White Solid 2 Cm	Green Solid 2 Cm
	44x100	Peldaño "L"	G-623	G-623

Packing List	Real Size cm	Real Size "	Box/ Pallet	Pzs/ Box	M2/ Pallet	M2/ Box	SQF/ Pallet	SQF/ Box	Kg/ Pallet	Kg/ Box	Kg/ Piece
120x260 (6 mm)	119,3x260	46.97"x102.4"	17	1	52,731	3,102	567,592	33,388	900	49,410	49,410
120x120 (6 mm)	119,30x119,3	46.97"x46.97"	32	1	45,544	1,423	490,235	15,320	855	25,150	24,500
100x100 (10 mm)	99,55x99,55	39.19x39.19	40	1	39,641	0,991	426,694	10,667	991	23,886	23,536
50x100 (10 mm)	49,75x99,55	19.59x39.19	27	3	40,116	1,486	431,810	15,993	941	34,102	11,269
60x60 (10 mm)	59,55x59,55	23.44x23.44	30	4	42,554	1,418	458,056	15,269	972	31,743	7,849
50x100 (2 cm)	49,75x99,55	19.59x39.19	36	1	17,829	0,495	191,916	5,331	825	22,362	22,067

Technical Data	DIN 51130	DIN 51097	DCOF ANSI A 326.3	PTV BS 7976	CLASE UNE 41901 EX
	Natural	R10	-	>36	1
	Solid 2 cm	R11	C	>36	3
	<small>DIN 51130 - DIN 51097 - UNE-ENV 12633 Test done in Lamiere Blue Natural. Average test result value on January 2022. Consult specific product test result value before supplying.</small>			<small>DIN 51130 - DIN 51097 - UNE-ENV 12633 Prueba realizada sobre el producto Lamiere Blue Natural. Valor de media a fecha de Enero de 2022. Consultar valor de un producto específico antes del suministro.</small>	



All sizes are rectified and without bevel edge finish.
Todos los formatos son rectificadas y no biselados.
Tiles with random shade and aspect variation.
Producto con alta variación cromática y desentonificación en composiciones.

Z I N C



Zinc Green Natural 120x260



walls: ZINC White Matt 45x120
ZINC Green Gold Crack 45x120
countertop: Borghini White Polished



ZINC Green Crack 45x120
ZINC White Crack 45x120



Zinc

PORCELAIN



Green

120x260	119,3x260 cm - 46.97"x102.4"	6 mm
ZINC Green Natural		G-3413
120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm
ZINC Green Natural		G-3413
60x120	59,55x119,3cm - 35.22"x35.22"	7 mm
ZINC Green Natural		G-1372
ZINC Green Pulido		G-1410
ZINC Green Skin		G-1372
60x60	59,55x59,55 cm - 23.62"x23.62"	7 mm
ZINC Green Natural		G-1234
ZINC Green Pulido		G-1274
30x60	29,75x59,55 cm - 11.71"x23.45"	7 mm
ZINC Green Natural		G-1202
Hexagon	25x29 cm - 9.84"x11.42"	10 mm
ZINC Green Natural Hexagon		G-7230
ZINC Green Mix Decor Hexagon		G-7254
ZINC Silver Decor		G-7274
ZINC Silver Mix Decor		G-7274



Black

120x260	119,3x260 cm - 46.97"x102.4"	6 mm
ZINC Black Natural		G-3413
120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm
ZINC Black Natural		G-3413
60x120	59,55x119,3cm - 35.22"x35.22"	7 mm
ZINC Black Natural		G-1372
ZINC Black Skin		G-1372
60x60	59,55x59,55 cm - 23.62"x23.62"	7 mm
ZINC Black Natural		G-1234
30x60	29,75x59,55 cm - 11.71"x23.45"	7 mm
ZINC Black Natural		G-1202



Copper

120x260	119,3x260 cm - 46.97"x102.4"	6 mm
ZINC Copper Natural		G-3413
120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm
ZINC Copper Natural		G-3413
60x120	59,55x119,3cm - 35.22"x35.22"	7 mm
ZINC Copper Natural		G-1372
ZINC Copper Skin		G-1372
60x60	59,55x59,55 cm - 23.62"x23.62"	7 mm
ZINC Copper Natural		G-1234
30x60	29,75x59,55 cm - 11.71"x23.45"	7 mm
ZINC Copper Natural		G-1202

Solid 2 cm



SOLID 2 cm

50x100	49,75x99,55 cm - 19.58"x39.19"	20 mm
ZINC Green Solid 2 cm		G-9234

All sizes are rectified and without bevel edge finish.
 Todos los formatos son rectificadas y no biseadas.
 Tiles with random shade and aspect variation.
 Producto con alta variación cromática y destonificación en composiciones.

Mosaics 	SIZE / Formato	Green Natural	Black Natural	Copper Natural
	29,75x29,75 cm 11.71"x11.71"	Mosaico 5x5	G-1598	G-1598

Decors 	SIZE / Formato	Green Natural	Black Natural	Copper Natural
	29,26x29,28 cm	Decor Ramp	G-1942	G-1942

Rodapie 	SIZE / Formato	Green Natural	Black Natural	Copper Natural
	7,5x60	Rodapie	G-91	G-91

Listas 	SIZE / Formato	Green Natural	Black Natural	Copper Natural
	7,5x60	Listas	G-89	G-89

Gradone 	SIZE / Formato	Green Natural	Black Natural	Copper Natural	
	30x260	Gradone	G-2875	G-2875	G-2875
	30x130	Gradone	G-2741	G-2741	G-2741
	30x120	Gradone	G-767	G-767	G-767
		Gradone Ángulo	G-779	G-779	G-779
	30x60	Gradone	G-499	G-499	G-499
Gradone Ángulo		G-559	G-559	G-559	

Peldaño 	SIZE / Formato	Green Natural	Black Natural	Copper Natural	
	30x260	Peldaño	G-2839	G-2839	G-2839
	30x130	Peldaño	G-2651	G-2651	G-2651
	30x120	Peldaño	G-501	G-501	G-501
		Peldaño Ángulo	G-515	G-515	G-515
	30x60	Peldaño	G-163	G-163	G-163
Peldaño Ángulo		G-179	G-179	G-179	

2 Cm Drain 	SIZE / Formato	Green Solid 2 Cm	Black Solid 2 Cm	Copper Solid 2 Cm
	25x100	Drain	G-471	G-471
	25x25	Drain Angle	G-187	G-187
	25x100	Drain Diagonal	G-471	G-471


2 Cm Peldaño L 	SIZE / Formato	Green	Black	Copper
	44x100	Peldaño "L"	G-623	G-623

	Real Size cm	Real Size "	Box/Pallet	Pzs/Box	M2/Pallet	M2/Box	SQF/Pallet	SQF/Box	Kg/Pallet	Kg/Box	Kg/Piece
120x260 (6 mm)	119,3x260 cm	46.97"x102.4"	17	1	52,731	3,102	567,592	33,388	900	49,410	49,410
120x120 (6 mm)	119,30x119,3 cm	46.97"x46.97"	32	1	45,544	1,423	490,235	15,320	855	25,150	24,500
60x120 (7 mm)	59,55x119,3 cm	23.45"x46.97"	30	2	42,626	1,421	458,825	15,294	780	25,234	12,437
60x60 (7 mm)	59,55x59,55 cm	23.45"x23.45"	30	5	53,193	1,773	572,570	19,086	950	30,898	6,129
30x60 (7 mm)	29,75x59,55 cm	11.71"x23.45"	40	8	56,692	1,417	610,228	15,256	1000	24,427	3,024
50x100 (2 cm)	49,75x99,55	19.59x39.19	36	1	17,829	0,495	191,916	5,331	825	22,362	22,067
25x29 Hexagon	25x29	9.84x11.42	48	17	0,94	44,88	10,06	483,09	1060	21,767	1,271


Technical Data	DIN 51130	DIN 51097	DCOF ANSI A 326.3	PTV BS 7976	CLASE UNE 41901 EX
	Natural	R10	-	>0,42	1
	Solid 2 cm	R11	C	>0,42	>36

DIN 51130 - DIN 51097 - UNE-ENV 12633 Test done in ZINC Green Natural. Average test result value on June 2022. Consult specific product test result value before supplying.

DIN 51130 - DIN 51097 - UNE-ENV 12633 Prueba realizada sobre el producto ZINC Green Natural. Valor de media a fecha de Junio de 2019. Consultar valor de un producto específico antes del suministro.



Sizes




Green Gold CRACK

45x120 44,63x119,30 cm - 17,57"x46,97" 7 mm
 ZINC Green Gold Crack G-7298




Green CRACK

45x120 44,63x119,30 cm - 17,57"x46,97" 7 mm
 ZINC Green Crack G-7208



Green MATT

45x120 44,63x119,30 cm - 17,57"x46,97" 7 mm
 ZINC Green Matt G-7180



White MATT

45x120 44,63x119,30 cm - 17,57"x46,97" 7 mm
 ZINC White Matt G-7180



White CRACK

45x120 44,63x119,30 cm - 17,57"x46,97" 7 mm
 ZINC White Crack G-7208

Packing List	Real Size cm	Real Size "	Box/ Pallet	Pzs/ Box	M2/ Pallet	M2/ Box	SQF/ Pallet	SQF/ Box	Kg/ Pallet	Kg/ Box	Kg/ Piece
45x120 (7 mm) Matt	44,63x119,30	17,57x46,97	24	4	51,114	2,130	550,189	22,925	800	31,480	7,795
45x120 (7 mm) Crack	44,63x119,30	17,57x46,97	24	3	38,335	1,597	412,642	17,193	613	26,064	8,588



walls: ZINC Green Crack 45x120 & ZINC White Crack 45x120
 washbasin: CASSERO Grey Natural

All sizes are rectified and without bevel edge finish.
 Todos los formatos son rectificadas y no biseñados.
 Tiles with random shade and aspect variation.
 Producto con alta variación cromática y desentonificación en composiciones.

Sizes

45x120






walls: Corten Copper Rescato 50X100
CASSERO Grey Natural 120x300
floor: CALACATTA Gold Natural 60x120




Walls: Corten White Rescato 50x100
Corten Titanium Rescato 50x100



Walls: Corten White Rescato 50x100
Corten Titanium Rescato 50x100
Floor: METODO Grey Natural 100x100



floor : Corten Titanium Lappato 50x100



floor : Corten Titanium Lappato 50x100
walls : CASSERO Grey Natural 120x300

Corten



Copper

50X100	49,75 x 99,55 cm - 19.59" x 39.19"	7 mm
Corten Copper Natural		G-1274
Corten Copper Lappato		G-1304
Corten Copper Rescato		G-1304
60x60	59,55 x 59,55 cm - 23.62"x23.62"	7 mm
Corten Copper Natural		G-1274
30x60	29,75 x 59,55 cm - 11.71"x23.62"	7 mm
Corten Copper Natural		G-1258
Corten Copper Lappato		G-1292



Titanium

50X100	49,75 x 99,55 cm - 19.59" x 39.19"	7 mm
Corten Titanium Natural		G-1274
Corten Titanium Lappato		G-1304
Corten Titanium Rescato		G-1304
60x60	59,55 x 59,55 cm - 23.62"x23.62"	7 mm
Corten Titanium Natural		G-1274
30x60	29,75 x 59,55 cm - 11.71"x23.62"	7 mm
Corten Titanium Natural		G-1258
Corten Titanium Lappato		G-1292




White

50X100	49,75 x 99,55 cm - 19.59" x 39.19"	7 mm
Corten White Natural		G-1220
Corten White Lappato		G-1258
Corten White Rescato		G-1258
60x60	59,55 x 59,55 cm - 23.62"x23.62"	7 mm
Corten White Natural		G-1220
30x60	29,75 x 59,55 cm - 11.71"x23.62"	7 mm
Corten White Natural		G-1202
Corten White Lappato		G-1232

Finishes - Acabados

Rescato



Natural



Lappato



All sizes are rectified and without bevel edge finish.
 Todos los formatos son rectificadas y no biseñados.
 Tiles with random shade and aspect variation.
 Producto con alta variación cromática y desentonificación en composiciones.

PRODUCTS TO BE CLEANED WITH PH NEUTRAL
 LIMPIAR CON PRODUCTOS PH NEUTROS

Mosaics	SIZE / Formato		Copper	Titanium	White
	29,75x29,75 cm 11.71"x11.71"		Natural	Natural	Natural
	Mosaico 5x5		G-1598	G-1598	G-1576

Rodapie	SIZE / Formato		Copper	Titanium	White
	7,5x50		Natural	Natural	Natural
	7,5x60		G-79	G-79	G-75
	7,5x100		G-81	G-81	G-79
	Rodapie		G-125	G-125	G-119

Listas	SIZE / Formato		Copper	Titanium	White
	7,5x50		Natural	Natural	Natural
	7,5x60		G-75	G-75	G-73
	7,5x100		G-79	G-79	G-75
	Listas		G-119	G-119	G-117

Gradone	SIZE / Formato		Copper	Titanium	White
	50x100		Natural	Natural	Natural
	60x60		G-657	G-657	G-655
	30x60		G-559	G-559	G-543
	Gradone		G-187	G-187	G-499

Peldaño	SIZE / Formato		Copper	Titanium	White
	50x100		Natural	Natural	Natural
	60x60		G-171	G-171	G-163
	30x60		G-243	G-243	G-235
	Peldaño		G-383	G-383	G-355

Packing List	Real Size cm	Real Size "	Box/ Pallet	Pzs/ Box	M2/ Pallet	M2/ Box	SQF/ Pallet	SQF/ Box	Kg/ Pallet	Kg/ Box	Kg/ Piece
50x100 (7mm)	49,75x99,55	19.59x39.19	27	4	53,488	1,981	575,747	21,324	917	33,095	8,200
60x60 (7mm)	59,55x59,55	23.44x23.44	30	5	53,193	1,773	572,570	19,086	950	30,898	6,129
30x60 (7mm)	29,75x59,55	11.71x23.44	40	8	56,692	1,417	610,228	15,256	1000	24,427	3,024

Technical Data	DIN 51130	DIN 51097	DCOF ANSI A 326.3	PTV BS 7976	CLASE UNE 41901 EX
Natural	R9	C	<24	<24	1

DIN 51130 - DIN 51097 - UNE-ENV 12633 - Test done in Corten Copper Natural. Average test result value on January 2022. Consult specific product test result value before supplying.
 DIN 51130 - DIN 51097 - UNE-ENV 12633 - Prueba realizada sobre el producto Corten Copper Natural. Valor de media a fecha de Enero de 2019. Consultar valor de un producto específico antes del suministro.

Sizes

50X100

60X60

30X60







Tattoo

PORCELAIN



Oxidum

162x324	162x324 cm - 63.78"x127.56"	12 mm
Tattoo Oxidum Decor		G-3574
120x260	119,3x260 cm - 46.97"x102.4"	6 mm
Tattoo Oxidum Decor		G-3413
120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm
Tattoo Oxidum Decor		G-3413
90x90	89,46x89,46 cm - 35.22"x35.22"	7 mm
Tattoo Oxidum Decor		G-1372
45x90	44.63x89,46 cm - 17.57"x35.22"	7 mm
Tattoo Oxidum Decor		G-1250
30x60	29,75x59,55 cm - 11.71"x23.45"	7 mm
Tattoo Oxidum Decor		G-1202



Black

120x260	119,3x260 cm - 46.97"x102.4"	6 mm
Tattoo Black Decor		G-3413
120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm
Tattoo Black Decor		G-3413
90x90	89,46x89,46 cm - 35.22"x35.22"	7 mm
Tattoo Black Decor		G-1372
45x90	44.63x89,46 cm - 17.57"x35.22"	7 mm
Tattoo Black Decor		G-1250
30x60	29,75x59,55 cm - 11.71"x23.45"	7 mm
Tattoo Black Decor		G-1202



White

120x260	119,3x260 cm - 46.97"x102.4"	6 mm
Tattoo White Decor		G-3365
120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm
Tattoo White Decor		G-3365
90x90	89,46x89,46 cm - 35.22"x35.22"	7 mm
Tattoo White Decor		G-1372
45x90	44.63x89,46 cm - 17.57"x35.22"	7 mm
Tattoo White Decor		G-1250
30x60	29,75x59,55 cm - 11.71"x23.45"	7 mm
Tattoo White Decor		G-1202
Tattoo White Non-slip		G-1232

Solid 2 cm



SOLID 2 cm

50x100	49,75x99,55 cm - 19.58"x39.19"	20 mm
Tattoo Black Decor Solid 2 cm		G-9234

Rodapie	SIZE / Formato	Oxidum		Black		White	
		Natural	Satin	Natural	Satin	Natural	Satin
	7,5x60	Rodapie	G-91	Rodapie	G-91	Rodapie	G-91
	7,5x90	Rodapie	G-125	Rodapie	G-125	Rodapie	G-125

Listas	SIZE / Formato	Oxidum		Black		White	
		Natural	Satin	Natural	Satin	Natural	Satin
	7,5x60	Listas	G-89	Listas	G-89	Listas	G-89
	7,5x90	Listas	G-109	Listas	G-109	Listas	G-109

Gradone	SIZE / Formato	Oxidum		Black		White		
		Natural	Satin	Natural	Satin	Natural	Satin	
	30x260	Gradone	G-2875	Gradone	G-2875	Gradone	G-2875	
	30x130	Gradone	G-2741	Gradone	G-2741	Gradone	G-2741	
	45x90	Gradone		G-603	Gradone	G-603	Gradone	G-603
		Gradone Ángulo		G-623	Gradone Ángulo	G-623	Gradone Ángulo	G-623
	30x60	Gradone		G-499	Gradone	G-499	Gradone	G-499
		Gradone Ángulo		G-559	Gradone Ángulo	G-559	Gradone Ángulo	G-559

Peldaño	SIZE / Formato	Oxidum		Black		White		
		Natural	Satin	Natural	Satin	Natural	Satin	
	30x260	Peldaño	G-2839	Peldaño	G-2839	Peldaño	G-2839	
	30x130	Peldaño	G-2651	Peldaño	G-2651	Peldaño	G-2651	
	45x90	Peldaño		G-303	Peldaño	G-303	Peldaño	G-303
		Peldaño Ángulo		G-315	Peldaño Ángulo	G-315	Peldaño Ángulo	G-315
	30x60	Peldaño		G-163	Peldaño	G-163	Peldaño	G-163
		Peldaño Ángulo		G-179	Peldaño Ángulo	G-179	Peldaño Ángulo	G-179

2 Cm Drain	SIZE / Formato	Oxidum		Black		White	
		Solid 2 Cm		Solid 2 Cm		Solid 2 Cm	
	25x100	Drain		Drain	G-471	Drain	
	25x25	Drain Angle		Drain Angle	G-187	Drain Angle	
	25x100	Drain Diagonal		Drain Diagonal	G-471	Drain Diagonal	


2 Cm Peldaño L	SIZE / Formato	Oxidum		Black		White	
		Peldaño "L"		G-623			
	44x100	Peldaño "L"		Peldaño "L"	G-623	Peldaño "L"	

Packing List	Real Size cm	Real Size "	Box/ Pallet	Pzs/ Box	M2/ Pallet	M2/ Box	SQF/ Pallet	SQF/ Box	Kg/ Pallet	Kg/ Box	Kg/ Piece
162x324 (12 mm)	162x324 cm	63.78"x127.56"	16	1	83,981	5,249	903,969	56,498	2860	170,000	170,000
120x260 (6 mm)	119,3x260 cm	46.97"x102.4"	17	1	52,731	3,102	567,592	33,388	900	49,410	49,410
120x120 (6 mm)	119,30x119,3	46.97"x46.97"	32	1	45,544	1,423	490,235	15,320	855	25,150	24,500
90x90 (7 mm)	89,46x89,46 cm	35.22"x35.22"	20	2	32,012	1,601	344,581	17,229	585	27,597	13,661
45x90 (7 mm)	44,63x89,46 cm	17.57"x35.22"	27	5	53,900	1,996	580,181	21,488	980	35,442	7,035
30x60 (7 mm)	29,75x59,55 cm	11.71"x23.45"	40	8	56,692	1,417	610,228	15,256	1000	24,427	3,024
50x100 (2 cm)	49,75x99,55	19.59x39.19	36	1	17,829	0,495	191,916	5,331	825	22,362	22,067

Technical Data	DIN 51130	DIN 51097	DCOF ANSI A 326.3	PTV BS 7976	CLASE UNE 41901 EX
Decor	R10		>0,42	>36	1
Natural (white)	R10	B	>0,42	>36	1
Satin (white)	R10		>0,42	>36	1
Non Slip	R11	C	>0,42	>36	3
Solid	R11	C	>0,42	>36	3

DIN 51130 - DIN 51097 - UNE-ENV 12633 - Test done in TATOO Oxidum Decor. Average test result value on April 2019. Consult specific product test result value before supplying.

DIN 51130 - DIN 51097 - UNE-ENV 12633 - Prueba realizada sobre el producto TATOO Oxidum Decor. Valor de media a fecha de Abril de 2019. Consultar valor de un producto específico antes del suministro.



All sizes are rectified and without bevel edge finish.
 Todos los formatos son rectificadas y no biseladas.
 Tiles with random shade and aspect variation.
 Producto con alta variación cromática y desentonificación en composiciones.





Detail : Glam Silver Rose




Walls: Glam Silver Rose 45x120
Floor: METODO Ivory Natural 100x100



Silver

45x120 44,63X119,30 cm - 17,57"x46,97" 7 mm
 Glam Silver Rose G-7298



White

45x120 44,63X119,30 cm - 17,57"x46,97" 7 mm
 Glam White Rose G-7208



Green

45x120 44,63X119,30 cm - 17,57"x46,97" 7 mm
 Glam Green Rose G-7298



Detail : Glam Green Rose

During installation, Glam Green & Silver ROSE tiles may present craqueleure (glaze surface cracking). Moisturized tiles increases their volume, which tenses the glaze. When dry, the piece volume decreases and the crackles disappear.

We recommend using grout with similar color and tone to the tiles. Grouting avoids moisture to penetrate the tile and also seals all the crackles, so it can be used in wet areas.

Do not let the grout excess dry, and proceed to clean with plenty of water. Clean with soap and water quickly before it dries. You can use a mild anti-limescale cleaner to completely clean the surface. Strong anti-limescale cleaners can damage the metal bright areas, making the darkest shades turn matt.

Use only PH Neutral products to clean.

Durante la colocación del Glam Green & Silver ROSE las piezas pueden craquelar. Al humectar las piezas, aumenta su volumen, lo que produce tensión en el vidriado. Cuando la pieza pierde la humedad, disminuye su volumen y las crepitaciones desaparecen.

Se aconseja emplear juntas de un color y tono similar al de las piezas. Además de que la junta sella la entrada de humedad al reverso de la pieza, también sella todo el craquelado, por lo que se puede emplear en zona húmedas.

No dejar secar la junta para proceder a limpiar con abundante agua. Una vez instalado se puede limpiar con agua y jabón. Si aún hay restos, se puede limpiar con un limpiador de cal de poca intensidad. Los limpiadores de cal fuerte pueden dañar el brillo de las zonas metálicas, matificando un poco las zonas oscuras de la pieza.

Limpiar solo con productos PH Neutro.

Packing List	Real Size cm	Real Size "	Box/ Pallet	Pzs/ Box	M2/ Pallet	M2/ Box	SQF/ Pallet	SQF/ Box	Kg/ Pallet	Kg/ Box	Kg/ Piece
45x120 (7 mm) RELIEF / RELIEVE	44,63x119,30	17.57x46.97	24	3	38,335	1,597	412,642	17,193	613	23,685	7,795

Sizes

45x120



All sizes are rectified and without bevel edge finish.
 Todos los formatos son rectificadas y no biselados.
 Tiles with random shade and aspect variation.
 Producto con alta variación cromática y desentonificación en composiciones.







Rust




Green

100x100	99,55x99,55 cm - 39.37"x39.37"	10 mm
Rust Green Natural		G-7268
Rust Green Lappato		G-7314
50x100	49,75x99,55 cm - 19.69"x39.37"	10 mm
Rust Green Natural		G-7162
60x60	59,55x59,55 cm - 23.62"x23.62"	10 mm
Rust Green Natural		G-7146
30x60	29,75x59,55 cm - 11.81"x23.62"	10 mm
Rust Green Natural		G-7132



White

100x100	99,55x99,55 cm - 39.37"x39.37"	10 mm
Rust White Natural		G-7268
Rust White Lappato		G-7314
50x100	49,75x99,55 cm - 19.69"x39.37"	10 mm
Rust White Natural		G-7162
60x60	59,55x59,55 cm - 23.62"x23.62"	10 mm
Rust White Natural		G-7146
30x60	29,75x59,55 cm - 11.81"x23.62"	10 mm
Rust White Natural		G-7132
Hexagon	25x29 cm - 9.84"x11.42"	10 mm
Rust White Natural		G-7230



Titanium


100x100	99,55x99,55 cm - 39.37"x39.37"	10 mm
Rust Titanium Natural		G-7268
Rust Titanium Lappato		G-7314
50x100	49,75x99,55 cm - 19.69"x39.37"	10 mm
Rust Titanium Natural		G-7162
60x60	59,55x59,55 cm - 23.62"x23.62"	10 mm
Rust Titanium Natural		G-7146
30x60	29,75x59,55 cm - 11.81"x23.62"	10 mm
Rust Titanium Natural		G-7132
Hexagon	25x29 cm - 9.84"x11.42"	10 mm
Rust Titanium Natural		G-7230

Finishes - Acabados

Natural



Lappato



All sizes are rectified and without bevel edge finish.
 Todos los formatos son rectificadas y no biseadas.
 Tiles with random shade and aspect variation.
 Producto con alta variación cromática y desentonificación en composiciones.

Mosaics	SIZE / Formato	Green		White		Titanium	
		Natural	Lappato	Natural	Lappato	Natural	Lappato
	29,75x29,75 cm 11.71"x11.71"	Mosaico 5x5	G-7558		G-7558		G-7558

Rodapie	SIZE / Formato	Green		White		Titanium	
		Natural	Lappato	Natural	Lappato	Natural	Lappato
	7,5x50	Rodapie	G-6071		G-6071		G-6071
	7,5x60	Rodapie	G-6089		G-6089		G-6089
	7,5x100	Rodapie	G-6115		G-6115		G-6115


Listas	SIZE / Formato	Green		White		Titanium	
		Natural	Lappato	Natural	Lappato	Natural	Lappato
	7,5x50	Listas	G-6065		G-6065		G-6065
	7,5x60	Listas	G-6087		G-6087		G-6087
	7,5x100	Listas	G-6111		G-6111		G-6111

Gradone	SIZE / Formato	Green		White		Titanium	
		Natural	Lappato	Natural	Lappato	Natural	Lappato
	100x100	Gradone	G-6723		G-6723		G-6723
	50x100	Gradone	G-6655		G-6655		G-6655
	60x60	Gradone	G-6559		G-6559		G-6559
	30x60	Gradone	G-6471		G-6471		G-6471

Peldaño	SIZE / Formato	Green		White		Titanium	
		Natural	Lappato	Natural	Lappato	Natural	Lappato
	100x100	Peldaño	G-6541		G-6541		G-6541
	50x100	Peldaño	G-6337		G-6337		G-6337
	60x60	Peldaño	G-6197		G-6197		G-6197
	30x60	Peldaño	G-6131		G-6131		G-6131

Packing List	Real Size cm	Real Size "	Box/ Pallet	Pzs/ Box	M2/ Pallet	M2/ Box	SQF/ Pallet	SQF/ Box	Kg/ Pallet	Kg/ Box	Kg/ Piece
100x100 (10 mm)	99,55x99,55	39.19"x39.19"	40	1	0,99	39,64	10,67	426,69	991	23,886	23,536
50x100 (10 mm)	49,75x99,55	19.59"x39.19"	27	3	1,49	40,12	15,99	431,81	941	34,102	11,269
60x60 (10 mm)	59,55x59,55	23.44"x23.44"	30	4	1,42	42,55	15,27	458,06	972	31,743	7,849
30x60 (10 mm)	29,75x59,55	11.71"x23.44"	40	7	1,24	49,61	13,35	533,95	1150	28,179	3,992
25x29 SR Hexagon	25x29	9.84"x11.42"	48	17	0,94	44,88	10,06	483,09	1060	21,767	1,271

Technical Data	DIN 51130	DIN 51097	DCOF ANSI A 326.3	PTV BS 7976	CLASE UNE 41901 EX
	Natural	R10	-	<24	1
<small>DIN 51130 - DIN 51097 - UNE-ENV 12633 Test done in Rust White Natural. Average test result value on January 2022. Consult specific product test result value before supplying.</small>			<small>DIN 51130 - DIN 51097 - UNE-ENV 12633 Prueba realizada sobre el producto Rust White Natural. Valor de media a fecha de Enero de 2022. Consultar valor de un producto específico antes del suministro.</small>		



Sizes






product: Alchemy 7.0 Black Natural 60x120 / Alchemy 7.0 White Decor ramp



product: Alchemy White Hexagon



Blue

SIZE / Formato	Real Size cm	Real Size "	Thickness mm
60x120	59,55 x 119,3	23.45" x 46.97"	7 mm
Alchemy 7.0 Blue Natural			G-1372
Alchemy 7.0 Blue Hammered			G-1372
30x120	29,67 x 119,3	11.68"x46.97"	7 mm
Alchemy 7.0 Blue Natural			G-1450
Alchemy 7.0 Blue Hammered			G-1450
60x60	59,55 x 59,55	23.45" x 23.45"	7 mm
Alchemy 7.0 Blue Natural			G-1234
30x60	29,75 x 59,55	11.71"x23.44"	7 mm
Alchemy 7.0 Blue Natural			G-1202
Alchemy 7.0 Blue Hammered			G-1202
Hexagon	25x29	9.84"x11.42"	10 mm
Alchemy 7.0 Blue Natural			G-7230



White

SIZE / Formato	Real Size cm	Real Size "	Thickness mm
60x120	59,55 x 119,3	23.45" x 46.97"	7 mm
Alchemy 7.0 White Natural			G-1372
Alchemy 7.0 White Hammered			G-1372
30x120	29,67 x 119,3	11.68"x46.97"	7 mm
Alchemy 7.0 White Natural			G-1450
Alchemy 7.0 White Hammered			G-1450
60x60	59,55 x 59,55	23.45" x 23.45"	7 mm
Alchemy 7.0 White Natural			G-1234
30x60	29,75 x 59,55	11.71"x23.44"	7 mm
Alchemy 7.0 White Natural			G-1202
Alchemy 7.0 White Hammered			G-1202
Hexagon	25x29	9.84"x11.42"	10 mm
Alchemy 7.0 White Natural			G-7230



Black

SIZE / Formato	Real Size cm	Real Size "	Thickness mm
60x120	59,55 x 119,3	23.45" x 46.97"	7 mm
Alchemy 7.0 Black Natural			G-1372
Alchemy 7.0 Black Hammered			G-1372
30x120	29,67 x 119,3	11.68"x46.97"	7 mm
Alchemy 7.0 Black Natural			G-1450
Alchemy 7.0 Black Hammered			G-1450
60x60	59,55 x 59,55	23.45" x 23.45"	7 mm
Alchemy 7.0 Black Natural			G-1234
30x60	29,75 x 59,55	11.71"x23.44"	7 mm
Alchemy 7.0 Black Natural			G-1202
Alchemy 7.0 Black Hammered			G-1202

Finishes - Acabados

Hammered



Natural



All sizes are rectified and without bevel edge finish. Todos los formatos son rectificadas y no biselados. Tiles with random shade and aspect variation. Producto con alta variación cromática y desentonificación en composiciones.

Mosaics	SIZE / Formato	Blue		White		Black	
		Natural	Hammered	Natural	Hammered	Natural	Hammered
	29,75x29,75 cm 11.71"x11.71"	Mosaico 5x5	G-1688		G-1688		G-1688
	28,5x28,5 cm 11.22"x 11.22"	Mosaico Brick		G-1942		G-1942	G-1942

Decors	SIZE / Formato	Blue		White		Black	
		Natural	Hammered	Natural	Hammered	Natural	Hammered
	59,55x59,55 cm 23.45"x23.45"	Decor Ramp	G-1884		G-1884		G-1884

Rodapie	SIZE / Formato	Blue		White		Black	
		Natural	Hammered	Natural	Hammered	Natural	Hammered
	7,5x60	Rodapie	G-91	G-91	G-91	G-91	G-91

Listas	SIZE / Formato	Blue		White		Black	
		Natural	Hammered	Natural	Hammered	Natural	Hammered
	7,5x60	Listas	G-89	G-89	G-89	G-89	G-89


Gradone	SIZE / Formato	Blue		White		Black	
		Natural	Hammered	Natural	Hammered	Natural	Hammered
	30x120	Gradone	G-767	G-767	G-767	G-767	G-767
		Gradone Ángulo	G-779	G-779	G-779	G-779	G-779
	60x60	Gradone	G-543		G-543		G-543
		Gradone Ángulo	G-603		G-603		G-603
	30x60	Gradone	G-499	G-499	G-499	G-499	G-499
		Gradone Ángulo	G-559	G-559	G-559	G-559	G-559

Peldaño	SIZE / Formato	Blue		White		Black	
		Natural	Hammered	Natural	Hammered	Natural	Hammered
	30x120	Peldaño	G-501	G-501	G-501	G-501	G-501
		Peldaño Ángulo	G-515	G-515	G-515	G-515	G-515
	60x60	Peldaño	G-235		G-235		G-235
		Peldaño Ángulo	G-251		G-251		G-251
	30x60	Peldaño	G-163	G-163	G-163	G-163	G-163
		Peldaño Ángulo	G-179	G-179	G-179	G-179	G-179

Packing List	Real Size cm	Real Size "	Box/ Pallet	Pzs/ Box	M2/ Pallet	M2/ Box	SQF/ Pallet	SQF/ Box	Kg/ Pallet	Kg/ Box	Kg/ Piece
60x120 (7 mm)	59,55x119,3	23.44x46.97	30	2	42,63	1,42	458,83	15,29	780	25,234	12,437
30x120 (7 mm)	29,67x119,3	11.68x46.97	36	5	63,71	1,77	685,81	19,05	778	20,96	4,123
60x60 (7 mm)	59,55x59,55	23.44x23.44	30	5	53,19	1,77	572,57	19,09	950	30,898	6,129
30x60 (7 mm)	29,75x59,55	11.71x23.44	40	8	56,69	1,42	610,23	15,26	1000	24,427	3,024
25x29 Hexagon	25x29	9.84x11.42	48	17	0,94	44,88	10,06	483,09	1060	21,767	1,271

Technical Data	DIN 51130	DIN 51097	DCOF ANSI A 326.3	PTV BS 7976	CLASE UNE 41901 EX
	Natural	R10		>0,42	>36
Hammered	R10			>24	1

DIN 51130 - DIN 51097 - UNE-EN 12633. Test done in Alchemy 7.0 Blue Hammered. Average test result value on August 2017. Consult specific product test result value before supplying. Prueba realizada sobre el producto Alchemy 7.0 Blue Hammered. Valor de media a fecha de Agosto de 2017. Consultar valor de un producto específico antes del suministro.



Sizes

CAST IRON





product: Cast Iron White Natural 60x120

Cast Iron

PORCELAIN



Black

60x120	59,55 x 119,3 cm - 23.45" x 46.97"	11 mm
Cast Iron Black Natural		G-1448
30x120	29,67 x 119'3 cm - 11.68"x46.97"	11 mm
Cast Iron Black Natural		G-1492
60x60	59,55 x 59,55 cm - 23.45" x 23.45"	11 mm
Cast Iron Black Natural		G-1248
30x60	29,75 x 59,55 cm - 11.71"x23.44"	11 mm
Cast Iron Black Natural		G-1202



White

60x120	59,55 x 119,3 cm - 23.45" x 46.97"	11 mm
Cast Iron White Natural		G-1448
30x120	29,67 x 119'3 cm - 11.68"x46.97"	11 mm
Cast Iron White Natural		G-1492
60x60	59,55 x 59,55 cm - 23.45" x 23.45"	11 mm
Cast Iron White Natural		G-1248



Oxidum

60x120	59,55 x 119,3 cm - 23.45" x 46.97"	11 mm
Cast Iron Oxidum Natural		G-1448
30x120	29,67 x 119'3 cm - 11.68"x46.97"	11 mm
Cast Iron Oxidum Natural		G-1492
60x60	59,55 x 59,55 cm - 23.45" x 23.45"	11 mm
Cast Iron Oxidum Natural		G-1248

Finishes - Acabados

Natural




All sizes are rectified and without bevel edge finish.
 Todos los formatos son rectificadas y no biseados.
 Tiles with random shade and aspect variation.
 Producto con alta variación cromática y desentonificación en composiciones.


Mosaics 	SIZE / Formato	Black Natural	White Natural	Oxidum Natural
	29,75x29,75 cm 11.71"x11.71"	Mosaico 2,5x2,5	G-1708	G-1708

Decors 	SIZE / Formato	Black Natural	White Natural	Oxidum Natural
	59,55x59,55 cm 23.45"x23.45"	Decor Ramp	G-1822	G-1822

Rodapie 	SIZE / Formato	Black Natural	White Natural	Oxidum Natural
	7,5x60	Rodapie	G-91	G-91


Listas 	SIZE / Formato	Black Natural	White Natural	Oxidum Natural
	7,5x60	Listas	G-89	G-89

Gradone 	SIZE / Formato	Black Natural	White Natural	Oxidum Natural
	30x120	Gradone	G-767	G-767
		Gradone Ángulo	G-779	G-779
	60x60	Gradone	G-543	G-543
		Gradone Ángulo	G-603	G-603
	30x60	Gradone	G-499	G-499
	Gradone Ángulo	G-559	G-559	

Peldaño 	SIZE / Formato	Black Natural	White Natural	Oxidum Natural
	30x120	Peldaño	G-501	G-501
		Peldaño Ángulo	G-515	G-515
	60x60	Peldaño	G-235	G-235
		Peldaño Ángulo	G-251	G-251
	30x60	Peldaño	G-163	G-163
	Peldaño Ángulo	G-179	G-179	

Packing List	Real Size cm	Real Size "	Box/ Pallet	Pzs/ Box	M2/ Pallet	M2/ Box	SQF/ Pallet	SQF/ Box	Kg/ Pallet	Kg/ Box	Kg/ Piece
60x120 (11 mm)	59,55x119,3	23.44x46.97	50	1	35,522	0,710	382,354	7,647	1000	19,510	19,180
30x120 (11 mm)	29,67x119,3	11.68x46.97	36	3	38,228	1,062	411,486	11,430	1029	27,930	9,200
60x60 (11 mm)	59,55x59,55	23.44x23.44	30	3	31,916	1,064	343,542	11,451	796	25,830	8,500
30x60 (11 mm)	29,75x59,55	11.71x23.44	40	6	42,519	1,063	457,671	11,442	1050	25,770	4,240

Technical Data	DIN 51130	DIN 51097	DCOF ANSI A 326.3	PTV BS 7976	CLASE UNE 41901 EX
Natural	R10	-	>0,42	>24	1
Test done in Cast iron oxidum Natural 60x60. Average test result value on March 2015. Consult specific product test result value before supplying			Prueba realizada sobre el producto Cast iron oxidum Natural 60x60. Valor de media a fecha de Marzo de 2015. Consultar valor de un producto específico antes del suministro.		



Sizes



Walls: Elements Flowers Silver 45x120



Walls: Elements Flowers Silver 45x120
Floor: METODO Anthracite Natural 100x100



45x120 44,63x119,3 cm - 17.57"x46.97" 7 mm
 Borghini Gold Geometry Glossy G-7884

Borghini Gold Geometry Glossy



45x120 44,63x119,3 cm - 17.57"x46.97" 7 mm
 Borghini Gold Leaf Glossy G-7884

Borghini Gold Leaf Glossy



45x120 44,63x119,3 cm - 17.57"x46.97" 7 mm
 Onice Gold Boiserie Glossy G-7844

Onice Gold Boiserie Glossy




45x120 44,63x119,3 cm - 17.57"x46.97" 7 mm
 Onice Bronze Boiserie Glossy G-7844

Onice Bronze Boiserie Glossy



45x120 44,63x119,3 cm - 17.57"x46.97" 7 mm
 Onice Silver Boiserie Glossy G-7844

Onice Silver Boiserie Glossy



22,5x90 22,215 x 89,46 cm - 8.74" x 35.22" 11 mm
 Pulpis Silver Tasselato Lappato G-1942

Pulpis Silver Tasselato Lappato



45x120 44,63x119,3 cm - 17.57"x46.97" 7 mm
 Elements Gold Crack Glossy G-7844

Elements Gold Crack Glossy



45x120 44,63x119,3 cm - 17.57"x46.97" 7 mm
 Elements Bronze Crack Glossy G-7844

Elements Bronze Crack Glossy



45x120 44,63x119,3 cm - 17.57"x46.97" 7 mm
 Elements Silver Crack Glossy G-7844

Elements Silver Crack Glossy



45x120 44,63x119,3 cm - 17.57"x46.97" 7 mm
 Elements Flower Gold G-7844

Elements Flowers Gold



45x120 44,63x119,3 cm - 17.57"x46.97" 7 mm
 Elements Flower Silver G-7844

Elements Flowers Silver

All sizes are rectified and without bevel edge finish.
 Todos los formatos son rectificadas y no biselados.
 Tiles with random shade and aspect variation.
 Producto con alta variación cromática y desentonificación en composiciones.




Cast Iron Gold Natural

30x60	29,75 x 59,55 cm - 11.71" x 23.45"	11 mm
Cast Iron Gold Natural		G-1860
10x30	9,74 x 29,75 cm - 3.83" x 11.71"	11 mm
Cast Iron Gold Natural		G-119




Cast Iron Silver Natural

30x60	29,75 x 59,55 cm - 11.71" x 23.45"	11 mm
Cast Iron Silver Natural		G-1860
10x30	9,74 x 29,75 cm - 3.83" x 11.71"	11 mm
Cast Iron Silver Natural		G-119



Alchemy 7.0 Gold Hammered

30x60	29,75 x 59,55 cm - 11.71" x 23.45"	7 mm
Alchemy 7.0 Gold Hammered		G-1860



Alchemy 7.0 Silver Hammered

30x60	29,75 x 59,55 cm - 11.71" x 23.45"	7 mm
Alchemy 7.0 Silver Hammered		G-1860



Filo Gold Natural

30x60	29,75 x 59,55 cm - 11.71" x 23.45"	7 mm
Filo Gold Natural 30x60		G-1860



Filo Silver Natural


30x60	29,75 x 59,55 cm - 11.71" x 23.45"	7 mm
Filo Silver Natural 30x60		G-1860

All sizes are rectified and without bevel edge finish.
 Todos los formatos son rectificadas y no biselados.
 Tiles with random shade and aspect variation.
 Producto con alta variación cromática y desentonificación en composiciones.



⚠️ PRODUCTS TO BE CLEANED WITH PH NEUTRAL - LIMPIAR CON PRODUCTOS PH NEUTROS

Packing List	Real Size cm	Real Size "	Box/ Pallet	Pzs/ Box	M2/ Pallet	M2/ Box	SQF/ Pallet	SQF/ Box	Kg/ Pallet	Kg/ Box	Kg/ Piece
45x120 (7 mm) Liso	44,63x119,3	17.57"x46.97"	24	4	51,12	2,130	550,19	22,925	800	31,480	7,795
45x120 (7 mm) Relieve	44,63x119,3	17.57"x46.97"	24	3	38,335	1,597	412,642	17,193	613	26,064	8,588
22,5x90 (11 mm)	22,21x89,46	8.74x35.22	36	5	35,76	0,99	384,97	10,69	906	24,535	4,85
30x60 (7 mm) PVD	29,75x59,55	11.71x23.44	20	7	24,803	1,240	266,975	13,349	451	21,403	3,024
30x60 (11 mm) PVD	29,75x59,55	11.71x23.44	20	5	17,716	0,886	190,696	9,535	383	21,53	4,240
10x30 (11 mm)	9,74 x 29,75 cm	3.83" x 11.71"	48	28	38,944	0,811	419,198	8,733	906	18,405	0,650



Sizes

PALADIO




walls: PALADIO White & Ochre Decor 45x120
floor: PATAGONIA Grey Polished 100x100



Titanium

45x120 44,63x119,30 cm - 17.57"x46.97" 7 mm
 PALADIO Titanium Decor G-7298




White

45x120 44,63x119,30 cm - 17.57"x46.97" 7 mm
 PALADIO White G-7208



Gold

45x120 44,63x119,30 cm - 17.57"x46.97" 7 mm
 PALADIO Gold Decor G-7298



Cobalt

45x120 44,63x119,30 cm - 17.57"x46.97" 7 mm
 PALADIO Cobalt Decor G-7298



Ochre

45x120 44,63x119,30 cm - 17.57"x46.97" 7 mm
 PALADIO Ochre Decor G-7298



During installation, PALADIO Ochre and Cobalt tiles may present craqueleure (glaze surface cracking). Moisturized tiles increases their volume, which tenses the glaze. When dry, the piece volume decreases and the crackles disappear.

We recommend using grout with similar color and tone to the tiles. Grouting avoids moisture to penetrate the tile and also seals all the crackles, so it can be used in wet areas.

Do not let the grout excess dry, and proceed to clean with plenty of water. Clean with soap and water quickly before it dries. You can use a mild anti-limescale cleaner to completely clean the surface. Strong anti-limescale cleaners can damage the metal bright areas, making the darkest shades turn matt.

Use PH Neutral products to clean.

Durante la colocación del PALADIO Ochre y Cobalt las piezas pueden craquelar. Al humectar las piezas, aumenta su volumen, lo que produce tensión en el vidriado. Cuando la pieza pierde la humedad, disminuye su volumen y las crepitaciones desaparecen.

Se aconseja emplear juntas de un color y tono similar al de las piezas. Además de que la junta sella la entrada de humedad al reverso de la pieza, también sella todo el craquelado, por lo que se puede emplear en zona húmedas.

No dejar secar la junta para proceder a limpiar con abundante agua. Una vez instalado se puede limpiar con agua y jabón. Si aún hay restos, se puede limpiar con un limpiador de cal de poca intensidad. Los limpiadores de cal fuerte pueden dañar el brillo de las zonas metálicas, matificando un poco las zonas oscuras de la pieza.

Limpiar con productos PH Neutro.

Packing List	Real Size cm	Real Size "	Box/ Pallet	Pzs/ Box	M2/ Pallet	M2/ Box	SQF/ Pallet	SQF/ Box	Kg/ Pallet	Kg/ Box	Kg/ Piece
45x120 (7 mm)	44,63x119,30	17.57x46.97	24	3	38,335	1,597	412,642	17,193	613	23,685	7,795

Sizes

45x120



All sizes are rectified and without bevel edge finish.
 Todos los formatos son rectificadas y no biselados.
 Tiles with random shade and aspect variation.
 Producto con alta variación cromática y destonificación en composiciones.

Metal & Nanocorten

PORCELAIN



Titanium

60x120	59,55 x 119,3 cm - 23.45" x 46.97"	11 mm
Metal Titanium Natural		G-1534
60x60	59,55 x 59,55 cm - 23.45" x 23.45"	11 mm
Metal Titanium Natural		G-1410
Metal Titanium Lappato		G-1446
30x60	29,75 x 59,55 cm - 11.71"x23.44"	11 mm
Metal Titanium Natural		G-1298
Metal Titanium Lappato		G-1330
45x90	44,63 x 89,46 cm - 17.57" x 35.22")	5 mm
Nanocorten Titanium Lappato		G-1372



Copper

60x120	59,55 x 119,3 cm - 23.45" x 46.97"	11 mm
Metal Copper Natural		G-1534
60x60	59,55 x 59,55 cm - 23.45" x 23.45"	11 mm
Metal Copper Natural		G-1410
Metal Titanium Lappato		G-1446
30x60	29,75 x 59,55 cm - 11.71"x23.44"	11 mm
Metal Copper Natural		G-1298
Metal Copper Lappato		G-1330
45x90	44,63 x 89,46 cm - 17.57" x 35.22")	5 mm
Nanocorten Copper Lappato		G-1372

METAL Copper & Titanium TO BE CLEANED ONLY WITH PH NEUTRAL.
METAL Copper & Titanium SE DEBEN LIMPIAR SOLO CON PRODUCTOS PH NEUTROS

Finishes - Acabados

Natural



Lappato



All sizes are rectified and without bevel edge finish.
Todos los formatos son rectificadas y no biseadas.
Tiles with random shade and aspect variation.
Producto con alta variación cromática y destonificación en composiciones.

Mosaics	SIZE / Formato	Titanium		Copper	
		Natural	Lappato	Natural	Lappato
	29,75x29,75 cm 11.71"x11.71"	Mosaico 2,5x2,5 Nanocorten 5 mm		G-1732	G-1732
	29,75x29,75 cm 11.71"x11.71"	Mosaico 2,5x2,5 Metal 11 mm		G-1780	G-1780
	29,75x29,75 cm 11.71"x11.71"	Mosaico 2,5x10 Metal 11 mm		G-1708	G-1708

Decors	SIZE / Formato	Titanium		Copper	
		Natural	Lappato	Natural	Lappato
	29,75x59,55 cm 11,71"x23,45"	Preincisión 2,5x60 Metal 11 mm	G-1506		G-1506
	29,75x59,55 cm 11,71"x23,45"	Preincisión 7,5x60 Metal 11 mm	G-1426		G-1426

Rodapie	SIZE / Formato	Titanium		Copper	
		Natural	Lappato	Natural	Lappato
	7,5x60	Rodapie	G-97		G-97

Listas	SIZE / Formato	Titanium		Copper	
		Natural	Lappato	Natural	Lappato
	10x60 cm	lista	G-91	G-95	G-95
	7,5x60 cm	lista	G-89	G-93	G-93
	2,5x60 cm	lista	G-85	G-89	G-89


Gradone	SIZE / Formato	Titanium		Copper	
		Natural	Lappato	Natural	Lappato
	30x120	Gradone	G-795	G-795	G-795
		Gradone Ángulo			
	30x60	Gradone	G-499	G-499	G-499
		Gradone Ángulo	G-559	G-559	G-559
	60x60	Gradone	G-585	G-585	G-585
		Gradone Ángulo	G-633	G-633	G-633

Peldaño	SIZE / Formato	Titanium		Copper	
		Natural	Lappato	Natural	Lappato
	30x120	Peldaño	G-519		G-519
		Peldaño Ángulo	-		
	30x60	Peldaño	G-303	G-315	G-303
		Peldaño Ángulo	G-315	G-333	G-315
	30x60	Peldaño	G-195	G-211	G-195
		Peldaño Ángulo	G-211	G-227	G-211

Packing List	Real Size cm	Real Size "	Box/ Pallet	Pzs/ Box	M2/ Pallet	M2/ Box	SQF/ Pallet	SQF/ Box	Kg/ Pallet	Kg/ Box	Kg/ Piece
60x120 (11 mm)	59,55x119,3	23.44x46.97	50	1	35,52	0,71	382,35	7,65	1000	19,54	19,18
60x60 (11 mm)	59,55x59,55	23.44x23.44	30	3	31,92	1,06	343,54	11,45	796	25,755	8,5
30x60 (11 mm)	29,75x59,55	11.71x23.44	40	6	42,52	1,06	457,67	11,44	1044	25,519	4,214
45x90 (5 mm)	44,63x89,46	17.57x35.22	27	7	75,46	2,79	812,25	30,08	956	34,553	4,898
22,5x90 (5 mm)	22,21x89,46	8.74x35.22	36	12	85,83	2,38	923,92	25,66	1018	27,645	2,28

Technical Data	DIN	DIN	DCOF	PTV	CLASE
	51130	51097	ANSI A 326.3	BS 7976	UNE 41901 EX
Natural	R9	-	>0,42	>24	1
Lappato	-	-	-	>24	1

Test done in Metal Titanium Natural 30x60. Average test result value on October 2005. Consult specific product test result value before supplying. Prueba realizada sobre el producto Metal Titanium Natural 30x60. Valor de media a fecha Octubre de 2005. Consultar valor de un producto específico antes del suministro. BS EN 7976-2 - Test done in Metal Copper Lappato. Average test result value on July 2013. Consult specific product test result value before supplying. Prueba realizada sobre el producto Metal Copper Lappato. Valor de media a fecha de julio de 2013. Consultar valor de un producto específico antes del suministro.



Sizes

CLEANING AND MAINTENANCE TIPS

THE FIRST CLEANING “AFTER INSTALLATION”

The most important cleaning operation is performed immediately after laying the tiles. This involves the complete removal of residues and dirt from the tile placement. An inadequate or late removal of this waste can create a cementitious layer on the tile capable of absorbing all forms of dirt. This may give the impression that the tile gets dirty when the actual problem resides in the surface film of dirt which was not removed immediately after laying. Once the grouting of the tiles is finished, it is important, while the grout is still wet, to carefully remove any excess material immediately. This can be done using a sponge and plenty of clean water, repeating this as many times as necessary. Do not perform the cleaning with metal tools, scrapers or abrasive pads. For stubborn stains, clean with alcohol and lukewarm water and rub with a clean cloth. If they do not disappear, check with the relevant technical department. Once the above mentioned washing is done, another washing should be carried out using basic or alkaline degreasing agents, as acid washing can leave stickiness on the pavement which could help retain dirt. In areas where water is calcareous, it is convenient to dry the surface, in order to prevent the deposition of carbonates which will reduce the surfaces' gleam.

REGULAR MAINTENANCE

Many available cleaning products for general use can be used with our products. For daily cleaning, one can use detergents or degreasing products diluted in warm water, following each product’s instructions. It is important that the cleaner does not have oil, animal fat, or soap base. These components may leave an invisible residue whilst absorbing dirt (lime stratifications detergent or residues). It is also important that the tile receives a thorough rinsing with clean water after the cleaning process is complete.The low water absorption and high standards met by all porcelain tiles ensure a product which is easy to maintain. Our products do not require the use of sealants or waxes. These superficial coatings can really affect the performance of the tile in a negative manner. It is important to note that hydrofluoric acid (HF) and derivatives can irreparably damage the tile.

The general steps for regular cleaning of our ceramic products can be summarized as follows:

- Remove any solid or liquid waste from the tile, sweeping with a soft bristle broom or vacuuming.
- Clean up liquid spills as soon as possible with lukewarm water.
- Apply the recommended amount and dilution of the cleaner for the tile (follow the cleaner manufacturer’s instructions). The wiper must remain in the tile a minimum period of 5 minutes.
- For unpolished tiles, scrub with a nylon sponge or soft bristle brush. A floor machine equipped with a nylon pad or bristle brush can be used for heavily soiled surfaces. For polished tiles, clean with a nonabrasive cloth.
- Remove the dirty cleaning solution and water with a vacuum cleaner or cloth. Rinse the porcelain tile with clean water and remove again with a vacuum cleaner, mop or towel. It is absolutely essential that all detergent residues are removed completely from the tile. Any remaining detergent that dries on the tiles surface can form a coating that can trap dirt and be very difficult to remove. The tile should be rinsed several times to remove all detergent residues.

During use, the cleaning of the tiles should be similar to window cleaning. Ammonia and even bleach type products can be employed, but both must be diluted in water.

In case of special stains and/or particularly resistant, it is advisable to use specific detergents according to the cleaners' manufacturer. Do not forget that removing any type of stain is easier when it is still fresh.

It is important to always do a pre-test the detergent products result on a small sample of the porcelain.

TILES WITH METALLIC EFFECTS - PVD

This type of tiles require following these recommended guidelines, shown below, for cleaning:

- In general, you can use any non-aggressive and neutral pH product.
- In general, we recommend the use of ammonia-based products (NH3) diluted in water, never directly on the piece.
- You cannot use chemically aggressive products.
- You cannot use products with hydrochloric acid (HCl). The remaining acid products should be used with caution in very diluted concentrations.
- Citric acid and other acidic food products leave stains if left too long to act on the tile. They must be removed as soon as possible.
- The use of powder products of abrasive action is not recommended.

FIXING TIPS

CARE TO BE TAKEN DURING THE CONSTRUCTION

Our ceramic products can be considered as a final finish in the construction process, so it is advisable to be laid only when the rest of the building works are complete (structures, masonry, flooring, ceilings...); specially the flooring. This will minimize the collateral damage that sometimes occurs when the product is being placed too soon.When porcelain tiles are placed before the end of the construction, one must take special care to protect the piece until the works are finalized.

PRE-FIXING ISSUES

- Upon receiving porcelain tiles it is essential to check if the tone, size and quality meet the required standards in advance, as well as assuring the lack of any visible surface defects. In case of facing any problems, our technical team will be able to study these when informed before laying the product.
- One must choose the proper tools for laying ceramic products (serrated edged comb, rubber mallet, suction cups, spreaders and clamps for laying, jointing rubber float, ...)
- Mix pieces from different boxes.

SUPPORT BASE PREPARATION

The support base for wall or floor for the tiles must be stable, dry, flat and it must have the adequate consistency. This base must never be too hot nor too cold and should be clean. One must not forget to clean any dust, grease or oil leftovers to facilitate an optimal adhesion.It is convenient to use slightly rough support bases, altering any excessively smooth leveling layer, in order to ensure greater adherence.

ADHESIVE CHOICE

The type of adhesive will be determined by the water absorption of each type of tile. In our case, it is advisable to employ the technique of placing a thin layer of cement adhesive of type C2.For formats larger than 30x30cm, we recommend the double-layer-adhesive. This technique involves the appliace of adhesive on the support base as well as on the tile; this technique is strongly recommended for outdoors.The bonding material must be applied with serrated edged comb to achieve a homogeneous adhesive distribution throughout the laying surface, even in the corners of the tile. A non-uniform adhesive layer will cause tensions on the tile, which will create an “eyebrow” effect. It is advisable to follow the instructions of the adhesives manufacturer, particularly for different cement-based bonding materials.

TILE INSTALLATION

The previous handling of the tiles, especially the rectified, must be done with utmost care to avoid scratches or chipping of the tiles. During the fixing process, the surface shall not be marked by graphite materials (pencils) or permanent markers, especially in the case of polished products to avoid potential cleaning problems. In the placement of tiles the use of at least 2mm spreaders is advisable. For locked placement, it is advisable to fix at a distance from 1/3 of the piece, never at half of the piece. In large format porcelain pieces (over 60cm of any of its sides) it is convenient to use leveling clips to ensure the flatness of the pieces (such as the Raimondi leveling system, although there may be other manufacturers recommended in the market).Ç

JOINTS AND GROUTS

The main functions of installation joints are: to absorb deformations of the support, to increase surface adhesion between the parts and the bonding material, and to improve the impermeability of the surface. It is necessary to respect the indications given below:

- Structural joints:** the construction project already takes into account the existence of these joints in the floor coverings. These must also abide when covering the joint with plastic trims.
- Perimeter joints:** it is always appropriate to provide these joints that isolate the tile and bonding material from any structural movements, avoiding tensions with them. Perimeter joints are normally hidden by the skirting board or the tile itself; they must have a width of 5 to 10 mm, and may be empty or filled with deformable material.
- Expansion joints:** allow deformations due to thermal and hygroscopic variations between tiles between the bonding material and the support base. Usually designed with a width of 5-8 mm and surfaces from 25 m2 (in sections of 5x5 m2) indoor and surfaces from 9 m2 (in sections of 3x3 m2) outdoors. These joints must be well executed, this means that they must be flexible, waterproof, well bonded and must reach the base support.
- Installation joints:** those between tiles. Before grouting these must be empty, without any bonding materials. It is not recommended to fix any floor without joints, advising a minimum joint of 2-3 mm The grout used in installation joints must be applied with a rubber float. The market offers a wide range of grouts, which are suitable for each type of tile and temperature as specified by the manufacturer of the grout, in which the type of product to be used, colors and waiting time before grouting should be recommended.

Before grouting, it is advisable to test a small area of the part to determine whether the chosen grout affects or stains the surface of the piece. In this case, one should contact the grout manufacturer. Ask the manufacturer for a suitable cleaner for this type of grip material. A bonding material with a thin granulometry is desirable in order to avoid scratches on the tile during its placement.

CONSEJOS DE COLOCACIÓN

CUIDADOS A SEGUIR DURANTE LA CONSTRUCCIÓN

Nuestros productos se pueden considerar acabados finales en la construcción, por ello es recomendable ser colocados sólo cuando el resto de los trabajos constructivos hayan finalizado (estructuras, mampostería, solados, techos, instalaciones,...) y en especial los productos porcelánicos para suelos. De este modo se minimizarán los daños que pueden experimentar el producto cerámico por haber sido colocados demasiado pronto. Cuando los productos porcelánicos son colocados antes de finalizar la construcción hay que tener especial cuidado para proteger la pieza hasta que se ponga en servicio normal de utilización.

CUESTIONES PREVIAS A LA COLOCACIÓN

•Al recibir los productos cerámicos es importante previamente comprobar si el tono, calibre y calidad son los requeridos, así como la existencia de defectos superficiales visibles.

•Hay que elegir las herramientas y útiles adecuados para la colocación de los productos cerámicos (llana metálica dentada, maza de goma, ventosas, crucetas y grapas para la colocación, llana de goma para rejuntar, ...)

•Hay que mezclar piezas de varias cajas.

PREPARACIÓN DEL SOPORTE

El fondo o soporte para pared o suelo sobre el que se colocarán las baldosas debe estar estable, seco, nivelado o aplomado con la consistencia adecuada, no debiendo estar ni helado ni excesivamente caliente y limpio sin restos de polvo, grasa o aceite. Es conveniente disponer de soportes rugosos alterando los soportes excesivamente lisos o la propia capa de nivelación ligeramente para garantizar mayor adhesión.

ELECCIÓN DEL ADHESIVO

La elección del tipo de adhesivo vendrá determinada por la absorción del agua de cada tipo de baldosa. En nuestro caso, se aconseja emplear la técnica de colocación en capa fina con el uso de Adhesivos Cementosos tipo C2. Para grandes formatos superiores a 30x30cm, se recomienda la técnica de colocación de doble encolado, esto es, aplicar adhesivo sobre el soporte y en la baldosa, en especial en exteriores.

El material de agarre debe aplicarse con una llana dentada para conseguir una distribución del adhesivo homogénea por toda la superficie de colocación incluso en las esquinas de la baldosa, presionando la baldosa sobre el adhesivo todavía fresco. De no ser uniforme la capa de adhesivo provocará tensiones en la baldosa que generan a la larga el efecto “ceja”. Es conveniente seguir las instrucciones del fabricante de adhesivos, en especial para los soportes diferentes de base cementosa.

COLOCACIÓN DE LAS BALDOSAS

La manipulación previa de las baldosas, en especial las rectificadas, ha de realizarse con el máximo cuidado, para evitar despuntados, rayas o desconchados en su superficie. Durante la colocación, no deberá marcarse la superficie de utilización del material con lápices (grafito) o rotuladores indelebles, especialmente en el caso de los productos pulidos para evitar posibles problemas de limpieza de los mismos. En la colocación de las baldosas se recomiendo el uso de crucetas de al menos 2 mm. En colocación trabada es aconsejable la colocación a una distancia de 1/3 de la pieza, nunca a la mitad de la pieza. En pavimentos de grandes formatos (mayores de 60 cm en alguno de sus lados) es conveniente el uso de grapas de colocación para garantizar la planitud de las piezas (se recomienda el modelo de la marca RAIMONDI, aunque puede haber otros fabricantes en el mercado).

LAS JUNTAS Y REJUNTADOS

Las principales funciones de las juntas de colocación son: absorber deformaciones del soporte, aumentar la superficie de adherencia entre las piezas y el material de agarre, y mejorar la impermeabilidad de la superficie. Es conveniente respetar las juntas que se indican a continuación:

•**Juntas estructurales:** el proyecto constructivo ya tiene prevista la existencia de estas juntas en el solado que se deben respetar también al colocar las baldosas y éstas se deben recubrir con materiales deformables.

•**Juntas perimetrales:** siempre es conveniente prever estas juntas que aíslan la baldosa y al adhesivo de los movimientos de otros elementos estructurales constructivos como paredes-suelos, pilares o puertas-ventanas, evitando tensiones con ello. Normalmente quedan ocultas por el rodapié o la propia baldosa, deben tener una anchura de 5 a 10 mm, y pueden quedar vacías o rellenas de material deformable.

•**Juntas de dilatación:** permiten las deformaciones por variaciones térmicas e higroscópicas entre baldosas, adhesivo y soporte. Normalmente se diseñan con una anchura mínima de 5 a 8 mm y en superficies a partir de 25 m2 (en paños de 5x5 m2) en interiores y en superficies a partir de 9 m2 (en paños de 3x3 m2) en exteriores. Estas juntas deben estar bien ejecutadas, esto es, ser flexibles, impermeables, bien adheridas y llegar hasta el soporte base.

•**Juntas de colocación:** son las existentes entre baldosa y baldosa. Antes del rejuntado estas juntas deben estar vacías, por tanto sin materiales de agarre de la construcción. Se desaconseja una colocación a junta unida o a “testa” aconsejándose una junta mínima de 2-3 mm.

El material de rejuntado que se utiliza en las juntas de colocación se debe aplicar con una llana de goma. En el mercado existe una amplia gama de materiales de rejuntado, que se adecua a cada tipo de baldosas y ambiente según especificaciones del fabricante del material de rejuntado en las que se debe recomendar el tipo de producto a emplear, colores y tiempo de espera hasta el comienzo del rejuntado. Antes del rejuntado, es conveniente probar en un área pequeña de la pieza para determinar si la lechada elegida decolora o mancha la superficie de la pieza, en cuyo caso hay que contactar con el fabricante del material de rejuntado. Pedirle al fabricante del rejunte un limpiador adecuado para este tipo de material de agarre. Es conveniente que la granulometría del material de rejuntado sea fina, para evitar posibles rayas en la baldosa en su colocación.



APAVISA

www.apavisa.com

Ctra. Castellón – San Juan de Moró, hm.7,5
12130 SAN JUAN DE MORÓ (Castellón) Spain
Tel. +34 964 701 120 - Export Fax +34 964 701 067 - Fax Nacional 964 701 195
info@apavisa.com

*The product may have variations in tone due to the manufacturing process. Ask about specific product before delivery.
Photographs may present color variations with respect to the actual product. Ask about specific product before delivery.*

*APAVISA PORCELANICO S.L. assumes no liability for any printing errors. The technical characteristics contained in this catalog are mean values of our products.
To carry out any orders that are requested consultations with the technical characteristics of the particular model to APAVISA PORCELANICO S.L.*

All features and specifications are based on information available at the time of printing this catalog and may be changed without notice, according to market conditions, technological innovations and / or any other factor, without incurring any liability.

*El producto puede presentar variaciones de tono derivadas de proceso de fabricación. Realizar consulta de un producto específico antes del suministro.
Las fotografías editadas pueden presentar variaciones cromáticas respecto al producto real. Realizar consulta de un producto específico antes del suministro.*

APAVISA PORCELANICO S.L. no asume ninguna responsabilidad por posibles errores de impresión. Las características técnicas que constan en el presente catálogo son valores medios de nuestros productos. Para la realización de cualquier pedido se solicita que sean consultadas las características técnicas del modelo en concreto a APAVISA PORCELANICO S.L.

Todas las características y especificaciones técnicas están basadas en la información disponible en el momento de la impresión del presente catalogo y podrán ser modificadas sin previo aviso, de acuerdo a las circunstancias del mercado, innovaciones tecnológicas y/o cualquier otro factor, sin incurrir en ningún tipo de responsabilidad.

APAVISA

www.apavisa.com

Ctra. Castellón – San Juan de Moró, hm.7,5 - 12130 SAN JUAN DE MORÓ (Castellón) Spain
Tel. +34 964 701 120 - Export Fax +34 964 701 067 - Fax Nacional 964 701 195 - info@apavisa.com



PLEASE RECYCLE WHEN OBSOLETE
POR FAVOR RECICLAR CUANDO QUEDE OBSOLETO
WENN NICHT MEHR AKTUELL, RECYCELN
PER FAVORE RICICLARLO QUANDO VECCHIO
S'IL VOUS PLAÏT, MERCI DE RECYCLER